Safety Data Sheet (SDS)

According to GHS (Global Harmonized System) - Hazcom 2012

Date Printed (YYYY-MM-DD): 2020-04-21

| Section 1 - Product and Company Information | |
|---|--|
| | |

Product Name: FiberFlex

Product Part Number(s): R10-04-04-BK, R10, R11, 5003R10, 5003R11, R10-AA-BB-CC (Where AA is rod profile, BB is package **Recommended Use:** This product is used with a plastic welder to repair broken plastic parts.

COMPANY IDENTIFICATION:

EMERGENCY TELEPHONE NUMBER:

24 Hour Emergency contact:

Polyvance 1128 Kirk Rd. Rainsville, AL 35986

Information email: info@polyvance.com

Customer Information Number: 256-638-4103 (7AM - 4PM (CST) M-F)

Chemtrec: 1-800-424-9300

Outside US: 703-527-3887

Section 2 - Hazards Identification

Appearance: Black Resinous Flexible rods Odor: Candle-like smell when heated

Hazard Statement:

WARNING! Causes skin irritation.

Signal Word: WARNING! Signal Word Hazard: Not Applicable

| GHS Physical Hazard Pictogram | GHS Health Hazard Pictogram(s) | GHS Environmental Hazard Pictogram |
|-------------------------------|--------------------------------|------------------------------------|
| | | |
| Not Applicable | Irritant | Not Applicable |

GHS Hazards Statement Codes for This Product

| Statement Type | Statement Code | Statement Text |
|-------------------|-------------------|------------------------|
| | | |
| Health | H315 | Causes skin irritation |
| | - | |

Precautionary Statement:

Not applicable

GHS Precautionary Statement Codes for This Product

| Statement Type | Statement Code | Statement Text | |
|-------------------|-------------------|---|--|
| Prevention | P264 | Wash thoroughly after handling | |
| Response | P302+352 | IF ON SKIN: Wash with soap and water | |
| Response | P362 | Take off contaminated clothing and wash before reuse | |
| Potential He | alth Effects | | |
| Eye Contact: | | The cool solid material is not expected to cause eye irritation. Thermal burns may result from contact with the hot material. | |
| Skin Absorption | : If molt | molten material comes in contact with skin, cool under ice water or a running stream of water. | |

| | Do not attempt to remove the material from the skin. Removal could result in severe tissue damage. Get medical attention |
|-------------|--|
| Inhalation: | Prolonged or repeated inhalation of vapors or fumes from the heated material may be irritating to the upper respiratory tract. |
| Ingestion: | N/A |

Section 3 - Composition / Information on Ingredients

| CAS # | ENIECS | REACH Reg. No. | Amount |
|------------|---|---|---|
| 9010-77-9 | | | 40% |
| 9002-88-4 | | | 34% |
| 471-34-1 | | | 10 - 12% |
| 108-05-4 | | | 6 - 8% |
| 9003-55-8 | | | < 4% |
| 65977-17-3 | | | <2% |
| 1333-86-4 | | | < 1% |
| | 9010-77-9 9002-88-4 471-34-1 108-05-4 9003-55-8 65977-17-3 | 9010-77-9 9002-88-4 471-34-1 108-05-4 9003-55-8 65977-17-3 | 9010-77-9 9002-88-4 471-34-1 108-05-4 9003-55-8 65977-17-3 |

Section 4 - First Aid Measures

| Eye Contact: | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If eye irritation persists, consult a specialist. |
|--|---|
| Skin Contact: | Contact with molten resin can cause severe thermal burns. Cool rapidly with water and immediately seek medical attention. Do not attempt removal of plastic without medical assistance. Do not use solvent for removal. |
| Inhalation: | Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. If symptoms persist, call a physician. |
| Ingestion: | No hazards which require special first aid measures. |
| Medical Conditions Aggravated by Exposure: | None |

Section 5 - Firefighting Measures

| Extinguishing Media: | Water spray, foam or carbon dioxide |
|---------------------------------------|--|
| Unusual Fire or Explosion Hazards: | N/A |
| Fire Fighting Procedures: | Use self-continued breathing apparatus and protective coating. If possible, water should be applied as a spray from a fogging nozzle since this polymer is a surface burning material. |

Section 6 - Accidental Release Measures

| Methods For Clean Up: | If melted material is spilled, allow it to cool and solidify. Place material in disposal containers and dispose of in a manner consistent with applicable regulations. |
|-----------------------------|--|
| Methods for Containment: | Contact local environmental or health authorities for approved disposal of this material. If safe and practicable, reclaim material. |

Section 7 - Handling and Storage

Storage Requirements: Store in a cool, dry, well ventilated area.

Section 8 - Precautions to Control Exposure / Personal Protection

| Component | Source | Туре | Value | Remarks |
|-------------------------------------|--------|------|-----------|--------------------------|
| Calcium Carbonate | ACGIH | TWA | 10 mg/m3 | Jered Calcium Carbonate. |
| Carbon Black | NIOSH | TWA | 3.5 mg/m3 | |
| Carbon Black | ACGIH | TWA | 3 mg/m3 | Inhalable |
| Carbon Black | OSHA | TWA | 3.5 mg/m3 | |
| Ethylene/Acrylic acid copolymer | | | | None established |
| Ethylene-Vinyl Acetate Copolymer | OSHA | PEL | 5 mg/m3 | TWA (for dust) |
| Ethylene-Vinyl Acetate Copolymer | ACGIH | TLV | 10 mg/m3 | TWA (for dust) |
| Fiber Glass | ACGIH | TWA | 10 mg/m3 | Inhalable |
| Fiber Glass | OSHA | TWA | 5 mg/m3 | respirable dust |
| Polyethylene, Homopolymer | | | | None established |
| Styrene-Butadiene-Styrene Copolymer | | | | None established |

Personal Protective Equipment (PPE):

| Eye / Face Protection: | Goggles or side-shielded safety glasses. |
|-------------------------------|--|
| Skin Protection: | Not normally required. |
| RespiratoryProtection: | Not normally required. If ventilation cannot be acquired, wear NIOSH approved respirator. |
| Hygenic Measures: | Wash hands before eating, smoking or using the bathroom. |
| Other Protection Measures: | None |
| Engineering Controls: | No special ventilation is usually necessary. However, if operating conditions create high airborne concentrations of gasses or fumes, special ventilation may be needed. |
| HMIS Personal Protection: | Α |
| | |



Section 9 - Physical and Chemical Properties

| Appearance: | Black resinous plastic sticks with slight ester odor. |
|---------------------------|---|
| Odor Threshold: | Not determined |
| pH: | Not determined |
| Melting Point: | Not determined |
| Freezing Point: | Not determined |
| | Not Available |
| Boiling Range: | Not Available |
| Flash Point: | Not Available |
| Evaporation Rate: | Not Available |
| Flammability: | Not Available |
| Upper Flammability Limit: | Not determined |

| Lower Flammability Limit: | Not determined |
|----------------------------|----------------|
| Vapor Pressure: | Not determined |
| Vapor Density: | N/A |
| Specific Gravity: | 0.88-0.98 |
| Solubility in Water: | Not Soluble |
| Partition Coefficient: | Not determined |
| Autoignition Temperature: | Not determined |
| Decomposition Temperature: | Not determined |
| Viscosity: | Not determined |

Section 10 - Stability and Reactivity

Chemical Stability:StableConditions to Avoid:Avoid contact with strong oxidizing agents.Incompatible Materials:Avoid contact with strong oxidizing agents.Hazardous Decomposition
Products:Carbon monoxide, carbon dioxide, ketones, unidentified organic compoundsHazardous Polymerization:Will Not Occur

Section 11 - Toxicological Information

| Ingestion Toxicity: | Expected to be of low toxicity |
|-----------------------|---|
| SkinAbsorption: | Expected to be of low toxicity |
| Inhalation: | No data available |
| Sensitization: | Not expected to be a skin sensitizer |
| Acute Dose: | No information available. |
| Repeated Dose: | Repeated exposure does not cause toxic effects. |
| Carcinogenicity: | No information available. |
| Corrosivity: | No information available. |
| Neurological: | No information available. |
| Reproductive: | No information available. |
| Genetic: | Not expected to be a mutagenic hazard. |
| Developmental: | No information available. |
| Eye Irritation: | No information available. |
| Skin Irritation: | No information available. |
| Target Organs: | No information available. |
| | |

Section 12 - Ecological Information

| EcoToxicity: | Expected to be practically non toxic, LC/EC/IC 50 > 1000 mg/I |
|--------------------------|---|
| PersistenceDegrdability: | No information available. |
| Bioaccumulation: | No information available. |
| Mobility / Partitioning: | No information available. |

Section 13 - Disposal Considerations

| Disposal Method: | Contact local environmental or health authorities for approved disposal of this material. If safe and practicable, reclaim material. |
|---------------------|--|
| Container Disposal: | Disposal must be made according to official regulations. |

Section 14 - Transport Information

DOT

Proper Shipping Name: Not Regulated

Additional DOT Shipping This material is not classified as hazardous under 49 CFR Parts 171-180. Information:

| MDG (Maritime transport) |
|--|
| |
| |
| Additional IMDG Information: This material is not classified as hazardous. |
| IATA (Air transport) |
| |
| Additional IATA Shipping This material is not classified as hazardous. |
| Information: |

Section 15 - Regulatory Information

Superfund Amendments and Reathorization Act of 1986 (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

| Immediate (Acute) Health Hazard: | Not available |
|----------------------------------|---------------|
| Delayed (Chronic) Health Hazard: | Not available |
| Fire Hazard: | Not available |
| Reactive Hazard: | Not available |
| Sudden Realease of Pressure: | Not available |

The following lists hazardous components and the regulatory lists for which they are required to be reported.

Component: Calcium Carbonate CAS: 471-34-1 Amount: 10 - 12%

Component: Carbon Black CAS: 1333-86-4 Amount: < 1% Carbon Black is on the California Prop 65 Cancer list. Carbon Black is listed with Pennsylvania Right to Know. Carbon Black is listed with Rhode Island Right to Know.

Component: Ethylene/Acrylic acid copolymer CAS: 9010-77-9 Amount: 40%

Component: Ethylene-Vinyl Acetate Copolymer CAS: 108-05-4 Amount: < 7%

Component: Fiber Glass CAS: 65977-17-3 Amount: <2%


Component: Polyethylene, Homopolymer CAS: 9002-88-4 Amount: 34%

Component: Styrene-Butadiene-Styrene Copolymer CAS: 9003-55-8 Amount: < 4%

HMIS Rating (0 - 4)

| HEALTH | 1 | Health = 1 |
|---------------------|---|-------------------------|
| FIRE | 1 | Fire = 1 |
| PHYSICAL | 0 | Physical = 0 |
| PERSONAL PROTECTION | Α | Personal Protection = A |

NFPA Ratings



Section 16 - Other Information

Legend

| ACGIH | American Conference of Governmental Hygenists |
|-------|---|
| CFR | Code of Federal Regulations |
| DFG | Deutsche Forschungsgemeinschaft |
| HMIS | Hazardous Materials Identification System |
| IARC | International Agency for Research on Cancer |
| MAK | Maximum Allowable Concentration (German) |
| NFPA | National Fire Protection Association |
| NIOSH | National Institute for Occupational Safety and Health |
| OEL | Occupational Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| STEL | Short Term Exposure Limit |
| TLV | Threshold Limit Value |
| TWA | Time Weighted Average |
| | |

DISCLAIMER

This Safety Data Sheet (SDS) is prepared in compliance with GHS Hazcom 2012. The information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty or merchantability, fitness for any use, or any other warranty is expressed or is to be implied regarding the accuracy of this data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein my be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material is furnished on the condition that the person receiving it shall make his/her own determination as the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.