Safety Data Sheet (SDS)

According to GHS (Global Harmonized System) - Hazcom 2012

Date Printed (YYYY-MM-DD): 2021-08-09

Section 1 - Product and Company Information

Product Name: PPE+PP+GF30 Plastic Welding Rod

Product Part Number(s): R22-01-03-BK, R22-01-04-BK, R22-01-08-BK

Recommended Use: Use this item with a plastic welder to repair broken PPE+PP parts.

COMPANY IDENTIFICATION: EMERGENCY TELEPHONE NUMBER:

Polyvance **24 Hour Emergency contact:** Chemtrec: 1-800-424-9300

Outside US: 703-527-3887

Rainsville, AL 35986

1128 Kirk Rd.

Information email: info@polyvance.com Customer Information Number: 256-638-4103 (7AM - 4PM (CST) M-F)

Section 2 - Hazards Identification

Appearance: Black resinous rods approximately 1/8 in. (3 mm) in diameter.

Odor: None or slight

Hazard Statement: WARNING! Causes mild skin irritation.

Signal Word: WARNING!
Signal Word Hazard: Not Applicable

GHS Physical Hazard Pictogram

GHS Health Hazard Pictogram(s)

GHS Environmental Hazard Pictogram



Not Applicable

Irritant Not Applicable

GHS Hazards Statement Codes for This Product

Statement Type	Statement Code	Statement Text
Health	H316	Causes mild skin irritation

Precautionary Statement:

Avoid breathing fumes when welding..

GHS Precautionary Statement Codes for This Product

Statement Type	Statement Code	Statement Text
Prevention	P261	Avoid breathing fumes when welding.

Potential Health Effects

Section 3 - Composition / Information on Ingredients

Component CAS # ENIECS REACH Reg. No. Amount
Carbon Black 1333-86-4 0.3 - 1.0%
Fiberglass 65977-17-3 30%

Section 4 - First Aid Measures

Eye Contact: Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. If eye irritation persists, consult a specialist.

Skin Contact: Immediately cool the skin by rinsing with cold water after contact with hot material. Wash off

immediately with soap and plenty of water. Consult a physician.

Inhalation: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. If

symptoms persis, call a physician.

Ingestion: Not probable due to nature of the product.

Medical Conditions

Aggravated by Exposure: None

Section 5 - Firefighting Measures

Extinguishing Media: Use dry chemical, CO2, water spray or "alcohol" foam. Water is the best extinguishing medium.

Carbon dioxide and dry chemical are not generally recommended because their lack of cooling

capacity may permit re-ignition on larger resin fires.

Special Protective

Equipment:

In the event of fire, wear self-contained breathing apparatus.

Hazardous Combustion

Products:

Fire will produce dense black smoke containing hazardous combustion products, carbon oxides,

hydrocarbon fragments, ketones, acrolein, aldehydes.

Fire Fighting

Do not use a solid water stream as it may scatter and spread fire.

Procedures:

Section 6 - Accidental Release Measures

Personal Precautions: As the material is a solid, there are no personal precautions necessary.

Methods For Clean Up: If liquid material is spilled, allow it to cool and solidify. Place material in disposal containers and

dispose of in a manner consistent with applicable regulations.

Methods for

Sweep up and place in containers for recovery or disposal.

Containment:

Section 7 - Handling and Storage

General Handling Handle in accordance with good industrial hygiene and safety proactices. Provide for appropriate

Practices: exhaust formation.

Handling Precautions: Be aware that glass fibers may protrude from the material and can be irritating.

Storage Requirements: Store in a cool, dry, well-ventilated area.

Section 8 - Precautions to Control Exposure / Personal Protection

Component	Source	Туре	Value	Remarks
Carbon Black	ACGIH	TWA	3.5 mg/m3	Not classifiable as a human carcinogen.
Carbon Black	OSHA	TWA	3.5 mg/m3	
Fiberglass	ACGIH	TWA	5 mg/m3	

Personal Protective Equipment (PPE):

Eye / Face Protection: Goggles or safety glasses.

Skin Protection: Protective gloves should be worn.

RespiratoryProtection: Not normally required. If ventilation cannot be acquired, wear NIOSH approved respirator.

Hygenic Measures: Wash hands before eating, smoking or using the washroom.

Other Protection

Measures:

None

Α

Engineering Controls: No special ventilation is usually necessary. However, if operating conditions create high airborne

concentrations of gasses or fumes, special ventilation may be needed.

HMIS Personal

Protection:



Section 9 - Physical and Chemical Properties

Appearance: Black resinous rods, approximately 1/8 in. (3mm) diameter.

Odor Threshold: Not determined

pH: Not determined

Melting Point: This product does not exhibit a sharp melting point but softens gradually over a wide

range of temperatures.

Freezing Point: Not determined

Boiling Point: N/A

Boiling Range: Not determined
Flash Point: Not determined
Evaporation Rate: Not determined
Flammability: Not determined

Upper Flammability Limit: Not determined Lower Flammability Limit: Not determined

Vapor Pressure: Negligible

Vapor Density: N/A

Specific Gravity: >1 (water = 1)

Solubility in Water: Not Soluble

Partition Coefficient: Not determined

Autoignition Temperature: 360°C (680°F)

Decomposition Temperature: Not determined

Viscosity: Not determined

Volitile Organic Compounds Negligible

(VOC's):

Section 10 - Stability and Reactivity

Chemical Stability: Stable under ambient conditions.

Conditions to Avoid: Avoid temperatures above 360°C (680°F). To avoid thermal decomposition, avoid

elevated temperatures. Heating can result in the formation of gaseous decompostion

products, some of which may be hazardous.

Incompatible Materials: Strong acids, strong oxidizing agents.

Hazardous Decomposition Vapors may include trace levels of hydrocarbons, alkyphenols, aldehydes,

Products: trimethylanisole, dihydrobenzofuran, ketones, acrolein.

Hazardous Polymerization: Will Not Occur

Section 11 - Toxicological Information

Ingestion Toxicity: LD50, oral, rat: >5000 mg/kg (estimated)
SkinAbsorption: LD50, dermal, rat: >2 g/kg (estimated)

Inhalation: Unlikely due to physical form. **Eye Irritation:** Mechanically irritating to eyes.

Skin Irritation: Fiberglass in material causes skin irritation.

Section 12 - Ecological Information

EcoToxicity: Do not flush into surface water or sanitary sewer system. Ecological damages are not

known or expected under normal use.

Section 13 - Disposal Considerations

Disposal Method: Where possible, recycling is preferred to disposal or incineration. Dispose of in accordance

with local regulations.

ContainerDisposal: Disposal must be made according to official

regulations.

Section 14 - Transport Information

DOT

Proper Shipping Name: Not Regulated

Additional DOT Shipping Not regulated as hazardous for shipment.

Information:

Additional IMDG Information: Not regulated as hazardous for shipment. IATA (Air transport) Additional IATA Shipping Not regulated as hazardous for shipment.

Section 15 - Regulatory Information

Information:

Superfund Amendments and Reathorization Act of 1986 (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Immediate (Acute) Health Hazard: Not available Delayed (Chronic) Health Hazard: Not available Fire Hazard: Not available Reactive Hazard: Not available Sudden Realease of Pressure: Not available

The following lists hazardous components and the regulatory lists for which they are required to be reported.

Component: Carbon Black

CAS: 1333-86-4 **Amount:** 0.3 - 1.0%

Carbon Black is on the California Prop 65 Cancer list. Carbon Black is listed with Pennsylvania Right to Know.

Component: Fiberglass CAS: 65977-17-3


Amount: 10 - 15%

Fiberglass is on the California Prop 65 Cancer list. Fiberglass is listed with Minnesota Right to Know. Fiberglass is listed with New Jersey Right to Know. Fiberglass is listed with Rhode Island Right to Know.

HMIS Rating (0 - 4)

HEALTH	0	Health = 0
FIRE	1	Fire = 1
PHYSICAL	0	Physical = 0
PERSONAL PROTECTION	Α	Personal Protection = A

NFPA Ratings



Section 16 - Other Information

Legend

TWA

ACGIH	American Conference of Governmental Hygenists
CFR	Code of Federal Regulations
DFG	Deutsche Forschungsgemeinschaft
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
LD	Lethal Dose
MAK	Maximum Allowable Concentration (German)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
OEL	Occupational Exposure Limit
RCRA	Resource Conservation and Recovery Act
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value

Time Weighted Average

DISCLAIMER

This Safety Data Sheet (SDS) is prepared in compliance with GHS Hazcom 2012. The information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty or merchantability, fitness for any use, or any other warranty is expressed or is to be implied regarding the accuracy of this data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein my be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material is furnished on the condition that the person receiving it shall make his/her own determination as the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.