#### Safety Data Sheet (SDS)

According to GHS (Global Harmonized System) - Hazcom 2012

Date Printed (YYYY-MM-DD): 2022-08-25

## **Section 1 - Product and Company Information**

Product Name: Flex Filler 2 (A-Side)
Product Part Number(s): 2000-TA,

**Recommended Use:** Flexible and Rigid Epoxy Filler for plastic.

COMPANY IDENTIFICATION: EMERGENCY TELEPHONE NUMBER:

Polyvance **24 Hour Emergency contact:** Chemtrec: 1-800-424-9300

1128 Kirk Rd. Outside US: 703-527-3887

Rainsville, AL 35986

Information email: info@polyvance.com Customer Information Number: 256-638-4103 (7AM - 4PM (CST) M-F)

#### Section 2 - Hazards Identification

**Appearance:** White high viscosity liquid **Odor:** Rotten cabbage smell (mercaptan)

**Hazard Statement:** 

May be harmful if swallowed. Causes skin irritation. Causes eye

irritation.

Signal Word: Not Applicable
Signal Word Hazard: Not Applicable

### GHS Physical Hazard Pictogram

#### **GHS Health Hazard Pictogram(s)**

**GHS Environmental Hazard Pictogram** 



Not Applicable

Irritant Not Applicable

#### **GHS Hazards Statement Codes for This Product**

Statement Type	Statement Code	Statement Text
Health	H303	May be harmful if swallowed
Health	H315	Causes skin irritation
Health	H320	Causes eye irritation

**Precautionary Statement:** 

Keep out of reach of children. Read label before use. Do not get in eyes, on skin, or on clothing.

#### **GHS Precautionary Statement Codes for This Product**

Statement Type	Statement Code	Statement Text
General	P102	Keep out of reach of children
General	P103	Read label before use
Prevention	P262	Do not get in eyes, on skin, or on clothing

#### **Potential Health Effects**

**Eye Contact:** Skin: Slightly irritating. Prolonged exposure may cause allergic reaction in susceptible individuals.

Eye: Mildly irritating.

**Skin Absorption:** Redness, allergy reaction, eczema, or skin conditions.

**Inhalation:** May result in irritation of nose, throat, and respiratory tract.

**Ingestion:** Slightly toxic. May cause irritation of throat, mouth, and gastrointestinal irritation.

### Section 3 - Composition / Information on Ingredients

Component	CAS #	ENIECS	REACH Reg. No.	Amount
Formaldehyde Polymer	25155-81-1			1 - 5%
DiVinyl Benzene	1321-74-0			1 - 5%
Mercaptan-terminated polymer	Proprietary			50 - 60%
2,4,6 Tri(dimethylaminomethyl) Phenol	90-72-2			5 - 10%
Talc	14807-96-6			20 - 30%
Titanium Dioxide	13463-67-7			1 - 5%
Cellulose Fiber	65996-61-4			1 - 5%
Fumed Silica	112945-52-5			1 - 5%
Thixotrophic Amide Wax	00110-30-5			1 - 5%

#### **Section 4 - First Aid Measures**

**Eye Contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**Skin Contact:** Wash with soap and water and rinse thoroughly.

**Medical Conditions** 

Aggravated by

Exposure:

Respiratory tract, skin and gastrointestinal irritation.

### **Section 5 - Firefighting Measures**

**Extinguishing Media:** Foam, alcohol foam. CO2, Dry Chemical, Water Fog

Unusual Fire or None

**Explosion Hazards:** 

Large fire - use self contained breathing apparatus

Fire Fighting Procedures:

#### Section 6 - Accidental Release Measures

Methods For Clean Up: Soak up with absorbent material and place in ventilated waste container for disposal.

Methods for Dispose of in an approved chemical waste landfill or incinerate in accordance with applicable federal, state and local regulations. Do not contaminate lakes, streams, or other water supplies.

### **Section 7 - Handling and Storage**

General Handling Practices: Keep out of reach of children. Keep tightly closed. Eating, drinking, and smoking should be prohibited where there is potential exposure to toxic material. For professional use only. Not intended for sale to the general public.

**Storage Requirements:** Store in a cool, dry, well ventilated place. Keep tightly closed to prevent leakage and retain

activity. Store away from open flames. Prevent skin and eye contact with appropriate clothing

and safety glasses. Avoid inhalation of dust generated during machining after cure.

## Section 8 - Precautions to Control Exposure / Personal Protection

Component	Source	Туре	Value	Remarks
DiVinyl Benzene	ACGIH	TLV	10 ppm	TWA
Talc	NIOSH	TWA	2mg/m3	TWA
Talc	OSHA	TWA	2mg/m3	TWA
Talc	ACGIH	TLV	2 mg/m3	TWA

#### Personal Protective Equipment (PPE):

**Eye / Face Protection:** Safety glasses with side shields.

**Skin Protection:** Rubber or plastic.

RespiratoryProtection: When used in confined area, an approved chemical/mechanical filter, designed to remove a

combination of particles and vapors, should be used.

**Hygenic Measures:** Wash hands before eating, smoking, or using the washroom.

**Other Protection** 

Wear impervious clothing and boots. Eye wash stations and safety showers should be available.

Measures:

**Engineering Controls:** 

Provide sufficient mechanical, general, or local exhaust.

HMIS Personal

**Protection:** 



Ε



# **Section 9 - Physical and Chemical Properties**

Appearance: Almost white

Color: White

**Odor:** Mercaptan (rotten cabbage)

Odor Threshold: No data available

pH: No data available

Melting Point: No data available Freezing Point: No data available

No data available

Boiling Range: No data available

**Flash Point:** 65 C (150 F)

**Evaporation Rate:** No data available

Flammability: No data available

**Upper Flammability Limit:** 6.2 **Lower Flammability Limit:** 0.7

Vapor Pressure: No data available
Vapor Density: Heavier than air

Specific Gravity: 1.3

Solubility in Water: Not Soluble

Partition Coefficient: No data available
Autoignition Temperature: No data available
Decomposition Temperature: No data available

Viscosity: No data available

### **Section 10 - Stability and Reactivity**

Chemical Stability: Stable

Conditions to Avoid: Excessive heat, open flame

Incompatible Materials: Strong oxidizing agents, epoxy resins and amines.

Hazardous Decomposition CO, CO2, H2S, Oxides of sulfur and nitrogen

**Products:** 

Hazardous Polymerization: Will Not Occur

#### Section 11 - Toxicological Information

Ingestion Toxicity: No data available
SkinAbsorption: No data available
Inhalation: No data available

Sensitization: No data available
Acute Dose: No data available
Repeated Dose: No data available
Carcinogenicity: No data available

Corrosivity: No data available
Neurological: No data available
Reproductive: No data available

Genetic: No data available
Developmental: No data available
Eye Irritation: No data available
Skin Irritation: No data available

Target Organs: No data available

# **Section 12 - Ecological Information**

**EcoToxicity:** No data available

PersistenceDegrdability: No data available

**Bioaccumulation:** No data available **Mobility / Partitioning:** No data available **Other Adverse Effects:** No data available

# **Section 13 - Disposal Considerations**

Disposal Method: Dispose of in an approved chemical waste landfill or incinerate in accordance with

applicable federal, state and local regulations. Do not contaminate lakes, streams, or

other water supplies.

**ContainerDisposal:** Disposal must be made according to official

regulations.

# **Section 14 - Transport Information**



Proper Shipping Name: Adhesive NOI

# **IMDG** (Maritime transport)

Proper Shipping Name: Adhesive NOI

## **IATA (Air transport)**

Proper Shipping Name: Adhesive NOI

# **Section 15 - Regulatory Information**

Superfund Amendments and Reathorization Act of 1986 (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Immediate (Acute) Health Hazard: Not available Delayed (Chronic) Health Hazard: Not available Fire Hazard: Not available Reactive Hazard: Not available Sudden Realease of Pressure: Not available

The following lists hazardous components and the regulatory lists for which they are required to be reported.

**Component:** 2,4,6 Tri(dimethylaminomethyl) Phenol

**CAS:** 90-72-2 **Amount:** 5 - 10%

2,4,6 Tri(dimethylaminomethyl) Phenol is on the California Prop 65 Cancer list.

**Component:** Cellulose Fiber

**CAS:** 65996-61-4 **Amount:** 1 - 5%

Cellulose Fiber is listed with Pennsylvania Right to Know.

Component: DiVinyl Benzene

**CAS**: 1321-74-0 **Amount**: 1 - 5%

DiVinyl Benzene is listed with Massachusetts Right to Know. DiVinyl Benzene is listed with Pennsylvania Right to Know.

**Component:** Mercaptan-terminated polymer

**CAS:** Proprietary **Amount:** 50 - 60%

Mercaptan-terminated polymer is listed with New Jersey Right to Know.

**Component:** Talc **CAS:** 14807-96-6 **Amount:** 20 - 30%

Talc is listed with the Illinois toxic substances disclosure to employee act.

Talc is listed with Minnesota Right to Know.

Talc is listed with Pennsylvania Right to Know.

Talc is listed with Rhode Island Right to Know.

**Component:** Titanium Dioxide

**CAS:** 13463-67-7 **Amount:** 1 - 5%

Titanium Dioxide is listed with the Illinois toxic substances disclosure to employee act.

Titanium Dioxide is listed with Massachusetts Right to Know.

Titanium Dioxide is listed with Minnesota Right to Know.

Titanium Dioxide is listed with New Jersey Right to Know.

Titanium Dioxide is listed with Pennsylvania Right to Know.


Titanium Dioxide is listed with Rhode Island Right to Know.

is listed with the Occupational Safety and Health Administration (OSHA) as a possible carcinogen.

#### HMIS Rating (0 - 4)



#### **NFPA Ratings**



#### **Section 16 - Other Information**

#### Legend

ACGIH American Conference of Governmental Hygenists

CFR Code of Federal Regulations

DFG Deutsche Forschungsgemeinschaft

HMIS Hazardous Materials Identification System
IARC International Agency for Research on Cancer
MAK Maximum Allowable Concentration (German)

NFPA National Fire Protection Association

NIOSH National Institute for Occupational Safety and Health

OEL Occupational Exposure Limit

RCRA Resource Conservation and Recovery Act

STEL Short Term Exposure Limit
TLV Threshold Limit Value
TWA Time Weighted Average

#### **DISCLAIMER**

This Safety Data Sheet (SDS) is prepared in compliance with GHS Hazcom 2012. The information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty or merchantability, fitness for any use, or any other warranty is expressed or is to be implied regarding the accuracy of this data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein my be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material is furnished on the condition that the person receiving it shall make his/her own determination as the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.

### Safety Data Sheet (SDS)

According to GHS (Global Harmonized System) - Hazcom 2012

Date Printed (YYYY-MM-DD): 2022-08-25

# **Section 1 - Product and Company Information**

Product Name: Flex Filler 2 (B-Side) - tube

Product Part Number(s): 2000-TB,

**Recommended Use:** Flexible and Rigid Epoxy Filler for plastic.

COMPANY IDENTIFICATION: EMERGENCY TELEPHONE NUMBER:

Polyvance **24 Hour Emergency contact:** Chemtrec: 1-800-424-9300

1128 Kirk Rd. Outside US: 703-527-3887

Rainsville, AL 35986

Information email: info@polyvance.com Customer Information Number: 256-638-4103 (7AM - 4PM (CST) M-F)

#### Section 2 - Hazards Identification

Appearance: Black, high-viscosity liquid

Odor: Slight ether odor

**Hazard Statement:** 

May be harmful if swallowed. Causes skin irritation. Causes eye

irritation.

Signal Word: Not Applicable
Signal Word Hazard: Not Applicable

GHS Physical Hazard Pictogram	GHS Health Hazard Pictogram(s)	GHS Environmental Hazard Pictogram
	<b><!-- --></b>	
	•	
	<b>*</b>	
Not Applicable	Irritant	Not Applicable

#### **GHS Hazards Statement Codes for This Product**

Statement Type	Statement Code	Statement Text
Health	H303	May be harmful if swallowed
Health	H315	Causes skin irritation
Health	H320	Causes eye irritation

**Precautionary Statement:** 

Keep out of reach of children. Read label before use. Do not get in eyes, on skin, or on clothing.

#### **GHS Precautionary Statement Codes for This Product**

Statement Type	Statement Code	Statement Text
General	P102	Keep out of reach of children
General	P103	Read label before use
Prevention	P262	Do not get in eyes, on skin, or on clothing

#### **Potential Health Effects**

**Eye Contact:** Skin: Slightly irritating. Prolonged exposure may cause allergic skin reaction in susceptible

individuals.

**Skin Absorption:** Redness, allergy reaction, eczema or skin conditions.

**Inhalation:** May result in irritation of nose, throat, and respiratory tract.

**Ingestion:** Slightly toxic, may cause irritation of throat, mouth and gastrointestinal irritation.

#### Section 3 - Composition / Information on Ingredients

CAS#	ENIECS	REACH Reg. No.	Amount
64742-89-8			<1%
9072-62-2			12 - 17%
2142-30-3			18 - 22%
471-34-1			45 - 50%
26142-30-3			5 - 10%
41638-13-5			5 - 10%
112945-52-5			1 - 5%
65996-61-4			1 - 5%
	64742-89-8 9072-62-2 2142-30-3 471-34-1 26142-30-3 41638-13-5 112945-52-5	64742-89-8 9072-62-2 2142-30-3 471-34-1 26142-30-3 41638-13-5 112945-52-5	64742-89-8 9072-62-2 2142-30-3 471-34-1 26142-30-3 41638-13-5 112945-52-5

#### **Section 4 - First Aid Measures**

**Eye Contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**Skin Contact:** Wash with soap and water and rinse thoroughly.

**Medical Conditions** 

Aggravated by Exposure:

Respiratory tract, skin, and gastrointestinal irritation.

## **Section 5 - Firefighting Measures**

**Extinguishing Media:** Foam, alcohol foam, CO2, Dry Chemical, Water fog

Unusual Fire or

**Explosion Hazards:** 

Combustion and combustion products may be toxic.

Fire Fighting Procedures:

For large fires, use self contained breathing apparatus

#### Section 6 - Accidental Release Measures

**Methods For Clean Up:** Soak up with absorbent material and place in ventilated waste container for disposal.

Methods for Dispose of in accordance to applicable federal, state and local regulations. Do not contaminate

**Containment:** lakes, streams, or other water supplies.

#### **Section 7 - Handling and Storage**

**General Handling** Keep out of reach of children. Keep tightly closed. Eating, drinking and smoking should be

**Practices:** prohibited where there is potential exposure to toxic material.

**Storage Requirements:** Store in a cool, dry, well ventilated place. Keep tightly closed to prevent leakage and retain

activity. Store away from open flames. Prevent skin and eye contact with appropriate clothing

#### Section 8 - Precautions to Control Exposure / Personal Protection

Component	Source	Type	Value	Remarks
Aliphatic Petroleum Naphthas	OSHA	PEL	400 ppm	STEL
Aliphatic Petroleum Naphthas	ACGIH	TLV	300 ppm	TWA
Aliphatic Petroleum Naphthas	OSHA	PEL	300 ppm	TWA

#### Personal Protective Equipment (PPE):

**Eye / Face Protection:** Safety glasses with side shields.

**Skin Protection:** Rubber or plastic.

RespiratoryProtection: When used in a confined area, an approved chemical/mechanical filter, designed to remove a

combination of particles and vapors, should be used.

**Hygenic Measures:** Wash hands before eating, smoking, or using the wash room.

**Other Protection** 

Wear impervious clothing and boots. Eye wash stations and safety showers should be available.

Measures:

**Engineering Controls:** Provide sufficient mechanical, general, or local exhaust ventilation.

HMIS Personal Protection:





Ε



### **Section 9 - Physical and Chemical Properties**

Appearance: Black, slight ether odor

Color: Black

Odor: Slight ether odor

Odor Threshold: Not determined

pH: Not determined

Melting Point: No data available Freezing Point: No data available

No data available

Boiling Range: No data available

**Flash Point:** 65 C (150 F)

**Evaporation Rate:** No data available

Flammability: No data available

**Upper Flammability Limit:** 6 **Lower Flammability Limit:** 0.9

Vapor Pressure: No data available
Vapor Density: Heavier than air

Specific Gravity: 1.7

Solubility in Water: Not Soluble

Partition Coefficient: No data available
Autoignition Temperature: No data available
Decomposition Temperature: No data available

Viscosity: No data available

### **Section 10 - Stability and Reactivity**

Chemical Stability: Stable

Conditions to Avoid: Extreme heat, open flames

**Incompatible Materials:** Strong oxidizing agents, mercaptans, strong acids, bases and amines.

Hazardous Decomposition CO, CO2, H2S, HCl, and oxides of nitrogen.

**Products:** 

Hazardous Polymerization: Will Not Occur

## **Section 11 - Toxicological Information**

Ingestion Toxicity: Not available SkinAbsorption: Not available

Inhalation: Not available
Sensitization: Not available
Acute Dose: Not available
Repeated Dose: Not available

Carcinogenicity: Not available
Corrosivity: Not available

**Neurological:** Not available **Reproductive:** Not available

Genetic: Not available
Developmental: Not available
Eye Irritation: Not available
Skin Irritation: Not available
Target Organs: Not available

# **Section 12 - Ecological Information**

**EcoToxicity:** Not available

PersistenceDegrdability: Not available
Bioaccumulation: Not available
Mobility / Partitioning: Not available

Other Adverse Effects: Not available

# **Section 13 - Disposal Considerations**

Disposal Method: Dispose of in accordance to applicable federal, state and local regulations. Do not

contaminate lakes, streams, or other water supplies.

**ContainerDisposal:** Disposal must be made according to official

regulations.

# **Section 14 - Transport Information**



Proper Shipping Name: Adhesive NOI

# **IMDG** (Maritime transport)

Proper Shipping Name: Adhesive NOI

## **IATA (Air transport)**

Proper Shipping Name: Adhesive NOI

# **Section 15 - Regulatory Information**

Superfund Amendments and Reathorization Act of 1986 (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Immediate (Acute) Health Hazard: Not available Delayed (Chronic) Health Hazard: Not available Fire Hazard: Not available Reactive Hazard: Not available Sudden Realease of Pressure: Not available

The following lists hazardous components and the regulatory lists for which they are required to be reported.

**Component:** Aliphatic petroleum Naphthas

**CAS**: 64742-89-8 **Amount**: <1%

Aliphatic petroleum Naphthas is listed with New Jersey Right to Know.

Component: Cellulose Fiber

**CAS:** 65996-61-4 **Amount:** 1 - 5%

Cellulose Fiber is listed with Pennsylvania Right to Know.

**Component:** Epoxy Resin

**CAS:** 41638-13-5 **Amount:** 5 - 10%

Epoxy Resin is listed with New Jersey Right to Know. Epoxy Resin is listed with Pennsylvania Right to Know.

Component: Epoxy Resin


**CAS:** 26142-30-3 **Amount:** 5 - 10%

Epoxy Resin is listed with New Jersey Right to Know. Epoxy Resin is listed with Pennsylvania Right to Know.

#### HMIS Rating (0 - 4)

		i
HEALTH	1	Health = 1
FIRE	1	Fire = 1
PHYSICAL	1	Physical = 1
PERSONAL PROTECTION	E	Personal Protection = E

#### **NFPA Ratings**



# **Section 16 - Other Information**

#### Legend

ACGIH American Conference of Governmental Hygenists
CFR Code of Federal Regulations
DFG Deutsche Forschungsgemeinschaft
HMIS Hazardous Materials Identification System
IARC International Agency for Research on Cancer
MAK Maximum Allowable Concentration (German)

NFPA National Fire Protection Association

NIOSH National Institute for Occupational Safety and Health

OEL Occupational Exposure Limit

RCRA Resource Conservation and Recovery Act

STEL Short Term Exposure Limit
TLV Threshold Limit Value
TWA Time Weighted Average

#### **DISCLAIMER**

This Safety Data Sheet (SDS) is prepared in compliance with GHS Hazcom 2012. The information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty or merchantability, fitness for any use, or any other warranty is expressed or is to be implied regarding the accuracy of this data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein my be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material is furnished on the condition that the person receiving it shall make his/her own determination as the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.