Safety Data Sheet (SDS)

According to GHS (Global Harmonized System) - Hazcom 2012

Date Printed (YYYY-MM-DD): 2020-04-15

Section 1 - Product and Company Information				
Product Name: Flex Filler 2 (B-Side) - tube Product Part Number(s): 2000-TB, Recommended Use: Flexible and Rigid Epoxy Fil	ler for plastic.			
COMPANY IDENTIFICATION:	EMERGENCY TELEPHONE NUMBER:			
Polyvance 1128 Kirk Rd. Rainsville, AL 35986	24 Hour Emergency contact:	Chemtrec: 1-800-424-9300 Outside US: 703-527-3887		
Information email: info@polyvance.com	Customer Information Number:	256-638-4103 (7AM - 4PM (CST) M-F)		

Section 2 - Hazards Identification

Appearance: Black, high-viscosity liquid Odor: Slight ether odor

Hazard Statement:

May be harmful if swallowed. Causes skin irritation. Causes eye irritation.

Signal Word: Signal Word Hazard:

GHS Physical Hazard Pictogram	GHS Health Hazard Pictogram(s)	GHS Environmental Hazard Pictogram
Not Applicable	Irritant	Not Applicable

GHS Hazards Statement Codes for This Product

Statement Type	Statement Code	Statement Text
Health	H315	Causes skin irritation
Health	H303	May be harmful if swallowed
Health	H320	Causes eye irritation
Precautionary :		Keep out of reach of children. Read label before use. Do not get in eyes, on skin, or on clothing.

GHS Precautionary Statement Codes for This Product

Statement Type	Statement Code	Statement Text
General	P102	Keep out of reach of children
General	P103	Read label before use
Prevention	P262	Do not get in eyes, on skin, or on clothing

Potential Health Effects

Eye Contact:	Skin: Slightly irritating. Prolonged exposure may cause allergic skin reaction in susceptible individuals.
Skin Absorption:	Redness, allergy reaction, eczema or skin conditions.
Inhalation:	May result in irritation of nose, throat, and respiratory tract.
Ingestion:	Slightly toxic, may cause irritation of throat, mouth and gastrointestinal irritation.

Section 3 - Composition / Information on Ingredients

Component	CAS #	ENIECS	REACH Reg. No.	Amount
Aliphatic petroleum Naphthas	64742-89-8			<1%
Epichlorohydrin-polyglycol reaction product	9072-62-2			12 - 17%
Epichlorohydrin-polyglycol reaction product	2142-30-3			18 - 22%
Calcium Carbonate	471-34-1			45 - 50%
Epoxy Resin	26142-30-3			5 - 10%
Epoxy Resin	41638-13-5			5 - 10%
Fumed Silica	112945-52-5			1 - 5%
Cellulose Fiber	65996-61-4			1 - 5%

Section 4 - First Aid Measures

Eye Contact:	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
Skin Contact:	Wash with soap and water and rinse thoroughly.
Medical Conditions Aggravated by Exposure:	Respiratory tract, skin, and gastrointestinal irritation.

Section 5 - Firefighting Measures

Extinguishing Media:	Foam, alcohol foam, CO2, Dry Chemical, Water fog
Unusual Fire or Explosion Hazards:	Combustion and combustion products may be toxic.
Fire Fighting Procedures:	For large fires, use self contained breathing apparatus

Section 6 - Accidental Release Measures

Methods For Clean Up: Soak up with absorbent material and place in ventilated waste container for disposal.

Methods forDispose of in accordance to applicable federal, state and local regulations. Do not contaminateContainment:lakes, streams, or other water supplies.

Section 7 - Handling and Storage

General Handling
Practices:Keep out of reach of children. Keep tightly closed. Eating, drinking and smoking should be
prohibited where there is potential exposure to toxic material.Storage Requirements:Store in a cool, dry, well ventilated place. Keep tightly closed to prevent leakage and retain
activity. Store away from open flames. Prevent skin and eye contact with appropriate clothing

Section 8 - Precautions to Control Exposure / Personal Protection

Component	Source	Туре	Value	Remarks
Aliphatic Petroleum Naphthas	OSHA	PEL	400 ppm	STEL
Aliphatic Petroleum Naphthas	ACGIH	TLV	300 ppm	TWA
Aliphatic Petroleum Naphthas	OSHA	PEL	300 ppm	TWA

Personal Protective Equipment (PPE):

Eye / Face Protection:	Safety glasses with side shields.
Skin Protection:	Rubber or plastic.
RespiratoryProtection:	When used in a confined area, an approved chemical/mechanical filter, designed to remove a combination of particles and vapors, should be used.
Hygenic Measures:	Wash hands before eating, smoking, or using the wash room.
Other Protection Measures:	Wear impervious clothing and boots. Eye wash stations and safety showers should be available.
Engineering Controls:	Provide sufficient mechanical, general, or local exhaust ventilation.
HMIS Personal Protection:	E
	6440







Section 9 - Physical and Chemical Properties

Appearance:	Black, slight ether odor
Color:	Black
Odor:	Slight ether odor
Odor Threshold:	Not determined
pH:	Not determined
Melting Point:	No data available
Freezing Point:	No data available
	No data available
Boiling Range:	No data available
Flash Point:	65 F (150 F)
Evaporation Rate:	No data available
Flammability:	No data available
Upper Flammability Limit:	6
Lower Flammability Limit:	0.9
Vapor Pressure:	No data available
Vapor Density:	Heavier than air
Specific Gravity:	1.7
Solubility in Water:	Not Soluble
Partition Coefficient:	No data available
Autoignition Temperature:	No data available
Decomposition Temperature:	No data available

Section 10 - Stability and Reactivity

Chemical Stability:	Stable
Conditions to Avoid:	Extreme heat, open flames
Incompatible Materials:	Strong oxidizing agents, mercaptans, strong acids, bases and amines.
Hazardous Decomposition Products:	CO, CO2, H2S, HCl, and oxides of nitrogen.
Hazardous Polymerization:	Will Not Occur

Section 11 - Toxicological Information

Ingestion Toxicity:	Not available
SkinAbsorption:	Not available
Inhalation:	Not available
Sensitization:	Not available
Acute Dose:	Not available
Repeated Dose:	Not available
Carcinogenicity:	Not available
Corrosivity:	Not available
Neurological:	Not available
Reproductive:	Not available
Genetic:	Not available
Developmental:	Not available
Eye Irritation:	Not available
Skin Irritation:	Not available
Target Organs:	Not available

Section 12 - Ecological Information

EcoToxicity:	Not available
PersistenceDegrdability:	Not available
Bioaccumulation:	Not available
Mobility / Partitioning:	Not available
Other Adverse Effects:	Not available

Section 13 - Disposal Considerations

Disposal Method:	Dispose of in accordance to applicable federal, state and local regulations. Do not contaminate lakes, streams, or other water supplies.
ContainerDisposal:	Disposal must be made according to official regulations.

Section 14 - Transport Information

Proper Shipping Name: Adhesive NOI

IMDG (Maritime transport)

Proper Shipping Name: Adhesive NOI

IATA (Air transport)

Proper Shipping Name: Adhesive NOI

Section 15 - Regulatory Information

Superfund Amendments and Reathorization Act of 1986 (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Immediate (Acute) Health Hazard:	Not available
Delayed (Chronic) Health Hazard:	Not available
Fire Hazard:	Not available
Reactive Hazard:	Not available
Sudden Realease of Pressure:	Not available

The following lists hazardous components and the regulatory lists for which they are required to be reported.

Component: Aliphatic petroleum Naphthas CAS: 64742-89-8 Amount: <1% Aliphatic petroleum Naphthas is listed with New Jersey Right to Know.

Component: Cellulose Fiber CAS: 65996-61-4 Amount: 1 - 5%

Cellulose Fiber is listed with Pennsylvania Right to Know.

Component: Epoxy Resin CAS: 41638-13-5

Amount: 5 - 10%

Epoxy Resin is listed with New Jersey Right to Know. Epoxy Resin is listed with Pennsylvania Right to Know.


Component: Epoxy Resin CAS: 26142-30-3 Amount: 5 - 10%

Epoxy Resin is listed with New Jersey Right to Know. Epoxy Resin is listed with Pennsylvania Right to Know.

HMIS Rating (0 - 4)







Section 16 - Other Information

Legend	
ACGIH	American Conference of Governmental Hygenists
CFR	Code of Federal Regulations
DFG	Deutsche Forschungsgemeinschaft
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
МАК	Maximum Allowable Concentration (German)

NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
OEL	Occupational Exposure Limit
RCRA	Resource Conservation and Recovery Act
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

DISCLAIMER

This Safety Data Sheet (SDS) is prepared in compliance with GHS Hazcom 2012. The information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty or merchantability, fitness for any use, or any other warranty is expressed or is to be implied regarding the accuracy of this data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein my be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material is furnished on the condition that the person receiving it shall make his/her own determination as the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.