

Safety Data Sheet (SDS)

According to GHS (Global Harmonized System) - Hazcom 2012

Date Printed (YYYY-MM-DD): 2020-04-15

Section 1 - Product and Company Information

Product Name: Insta-Weld 2 (thick)

Product Part Number(s): 2250-2,

Recommended Use: Instant adhesive.

COMPANY IDENTIFICATION:

Polyvance
1128 Kirk Rd.
Rainsville, AL 35986

Information email: info@polyvance.com

EMERGENCY TELEPHONE NUMBER:

24 Hour Emergency contact: Chemtrec: 1-800-424-9300
Outside US: 703-527-3887

Customer Information Number: 256-638-4103 (7AM - 4PM (CST) M-F)

Section 2 - Hazards Identification

Appearance: Clear liquid

Odor: Pungent

Hazard Statement:

WARNING! Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.

Signal Word: WARNING!

Signal Word Hazard:

GHS Physical Hazard Pictogram	GHS Health Hazard Pictogram(s)	GHS Environmental Hazard Pictogram
Not Applicable	 Irritant	Not Applicable

GHS Hazards Statement Codes for This Product

Statement Type	Statement Code	Statement Text
Health	H315	Causes skin irritation
Health	H319	Causes serious eye irritation
Health	H335	May cause respiratory irritation

Precautionary Statement:

Wear protective gloves/protective clothing/eye protection/face protection. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. If skin irritation occurs: Get medical advice/attention. Store in a well ventilated place. Keep container tightly closed. Dispose of contents/container as hazardous or special waste.

GHS Precautionary Statement Codes for This Product

Statement Type	Statement Code	Statement Text
Prevention	P280	Wear protective gloves/protective clothing/eye protection/face protection
Response	P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Response	P332+313	If skin irritation occurs: Get medical advice/attention
Response	P305+351+33	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing
Storage	P403+233	Store in a well ventilated place. Keep container tightly closed
Disposal	P501	Dispose of contents/container as hazardous or special waste

Potential Health Effects

Section 3 - Composition / Information on Ingredients

Component	CAS #	ENIECS	REACH Reg. No.	Amount
Ethyl Cyanoacrylate	7085-85-0			95-100%

Section 4 - First Aid Measures

Eye Contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If the eye is bonded closed, release eyelashes with warm water by covering with wet pad. Cyanoacrylate will bond to eye protein and will cause periods of weeping which will help to debond the adhesive. Keep eye covered until debonding is complete, usually within 1-3 days. Medical advice should be sought in case solid particles of cyanoacrylate trapped behind the eyelid cause an abrasive damage.
Skin Contact:	Wash with plenty of soap and water. Do not pull bonded skin apart. It may be gently peeled apart using a blunt object such as a spoon, preferably after soaking in warm soapy water. Cyanoacrylates give off heat on solidification. In rare cases a large drop will generate enough heat to cause a burn. Burns should be treated normally after the adhesive has been removed from the skin. If lips are accidentally stuck together apply warm water to the lips and encourage maximum wetting and pressure from saliva inside the mouth. Peel or roll lips apart. Do not try to pull the lips apart with direct opposing action. If skin irritation occurs: Get medical advice/attention.
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If still feeling unwell seek medical attention.
Ingestion:	Ensure that breathing passages are not obstructed. The product will polymerize immediately in the mouth making it almost impossible to swallow. Saliva will slowly separate the solidified product from the mouth (several hours).

Section 5 - Firefighting Measures

Extinguishing Media:	Dry powder, foam, carbon dioxide, fine water spray.
Hazardous Combustion Products:	Trace amounts of toxic fumes may be released on incineration. Hazardous combustion products: oxides of carbon, oxides of nitrogen, irritating organic vapors.
Fire Fighting Procedures:	Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA) and suitable protective clothing.

Section 6 - Accidental Release Measures

Personal Precautions:	Ensure adequate ventilation. Wear protective gloves/protective clothing/eye protection/ face
------------------------------	--

protection. Avoid skin and eye contact. Avoid breathing dust/fume/gas/mist/vapors/spray.

**Environmental
Precautions:**

Do not let product enter drains.

**Methods for
Containment:**

Do not use clothes for mopping up. Flood with water to complete polymerization and scrape off the floor. Cured material can be disposed of as non-hazardous waste.

Section 7 - Handling and Storage

**General Handling
Practices:**

Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Ventilation (low level) is recommended when using large volumes. Use of dispensing equipment is recommended to minimize the risk of skin or eye contact. Wash hands thoroughly after handling.

Storage Requirements:

For optimum shelf life store in original containers under refrigerated conditions at 2 C (36 F) to 8°C (46 F). Store locked up.

Section 8 - Precautions to Control Exposure / Personal Protection

Component	Source	Type	Value	Remarks
Ethyl Cyanoacrylate				
Ethyl Cyanoacrylate	UK	STEL	0.3 ppm	

Personal Protective Equipment (PPE):

Eye / Face Protection: Wear protective glasses.

Skin Protection:

In circumstances where there is a potential for prolonged or repeated skin contact, the use of polyvinyl chloride or nitrile rubber gauntlets or equivalent solvent resistant gloves is recommended. The use of chemical resistant gloves such as Nitrile is recommended. Polyethylene or polypropylene gloves are recommended when using large volumes. Do not use PVC, rubber, nylon or cotton gloves.

Respiratory Protection:

Ensure adequate ventilation.

Hygienic Measures:

Good industrial hygiene practices should be observed. Take off contaminated clothing and wash it before reuse. Wash hands thoroughly after handling.

Engineering Controls:

Provide adequate ventilation in area of use. Do NOT use this product in an enclosed or poorly ventilated area. Local exhaust ventilation is normally required when handling or using this product to keep airborne powder below the nationally authorized limits. If ventilation alone cannot control exposure, respiratory protection must be used.

**HMIS Personal
Protection:**

C



Section 9 - Physical and Chemical Properties

Appearance: Clear liquid

Color: Clear

Odor Threshold: Not determined

pH: Not determined

Melting Point: -31 C (-24 F)

Freezing Point: Not available

Boiling Point: 214 C (417 F)
Boiling Range: Not available
Flash Point: 82.5 C (180 F)
Evaporation Rate: Not available
Flammability: Not Flammable
Upper Flammability Limit: Not applicable
Lower Flammability Limit: Not applicable
Vapor Pressure: < 21 Pa (<0.16 MMhG)
Vapor Density: Not determined
Specific Gravity: 1.043 g/cm³
Solubility in Water: <0.024 mg/l
Partition Coefficient: Log Pow 0.776 (calculated)
Autoignition Temperature: Not available
Decomposition Temperature: Not determined
Viscosity: Not available

Section 10 - Stability and Reactivity

Chemical Stability: Stable under normal conditions of storage and use.

Conditions to Avoid: Moisture, humidity, basic material

Incompatible Materials: Water, soil, amines, alkalis and alcohols.

Hazardous Decomposition Products: Oxides of carbon, oxides of nitrogen.

Section 11 - Toxicological Information

Ingestion Toxicity: LD50 (oral, rat) > 5000 mg/kg bw (OECD 401)

Skin Absorption: LD50 (dermal, rabbit) > 2000 mg/kg bw (OECD 402)

Inhalation: In dry atmosphere with < 50% humidity, vapors may irritate the eyes and respiratory system. Prolonged exposure to high concentrations of vapors may lead to chronic effects in sensitive individuals.

Sensitization: Due to polymerization at the skin surface allergic reaction is not considered possible. The polymerized material is not able to penetrate into the epidermis.

Carcinogenicity: Not carcinogenic

Reproductive: Not toxic by reproduction.

Genetic: Because of the reduced exposure to monomer and the reported negative test result in various mutagenicity tests, ethyl-2-cyanoacrylate cannot be classified as mutagen.

Eye Irritation: Irritating to eyes. In a dry atmosphere (RH<50%) vapors may cause irritation and lachrymatory effect.

Skin Irritation: Causes skin irritation.

Section 12 - Ecological Information

EcoToxicity: Low ecotoxicity

Persistence/Degradability: Not applicable (the test compound would polymerize with contact of water or the moisture of the soil immediately)

Bioaccumulation: Not applicable (in presence of moisture ethyl-2-cyanoacrylate polymerizes within seconds)

Mobility / Partitioning: Not applicable (the test compound would polymerize with contact of water or the moisture of the soil immediately)

Other Adverse Effects: Not determined.

Section 13 - Disposal Considerations

Disposal Method: Cured adhesive: Dispose of as water insoluble non-toxic solid chemical in authorized landfill or incinerate under controlled conditions. Dispose of in accordance with local and national regulations. Polymerize by adding slowly to water (10:1). Contribution of this product to waste is very insignificant in comparison to article in which it is used

Container Disposal: After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorized legal land fill site or incinerated. Disposal must be made according to official regulations.

Section 14 - Transport Information

DOT

Proper Shipping Name: Not Regulated

Hazard Class: Not Regulated

Identification Number: Not Regulated

Packing Group: Not Regulated

IMDG (Maritime transport)

Proper Shipping Name: Not Regulated

IMDG Class: Not Regulated

UN Number: Not Regulated

Label: Not Regulated

Marine Polutant?: No

IATA (Air transport)

Proper Shipping Name: Liquid (Cyanoacrylate ester)

ICAO / IATA Class: 9

UN / ID Number: Not Regulated

Packing Group Packaging instructions (passenger and cargo): 906

Additional IATA Shipping Information: Classification: (Cyanoacrylate ester), 9

Section 15 - Regulatory Information

Superfund Amendments and Reauthorization Act of 1986 (Emergency Planning and Community Right-to-Know Act of 1986)
Sections 311 and 312

Immediate (Acute) Health Hazard: Not available
Delayed (Chronic) Health Hazard: Not available
Fire Hazard: Not available
Reactive Hazard: Not available
Sudden Release of Pressure: Not available

The following lists hazardous components and the regulatory lists for which they are required to be reported.

Component: Ethyl Cyanoacrylate


CAS: 7085-85-0

Amount: 95-100%

HMIS Rating (0 - 4)

HEALTH	2	Health = 2
FIRE	2	Fire = 2
PHYSICAL	0	Physical = 0
PERSONAL PROTECTION	C	Personal Protection = C

NFPA Ratings



Section 16 - Other Information

Legend

ACGIH	American Conference of Governmental Hygenists
CAS	Chemical Abstract Service
CFR	Code of Federal Regulations
GHS	Global Harmonized System
HMIS	Hazardous Materials Identification System
IATA	International Air Transport Associations
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
OEL	Occupational Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

DISCLAIMER

This Safety Data Sheet (SDS) is prepared in compliance with GHS Hazcom 2012. The information may be based in part on

information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty or merchantability, fitness for any use, or any other warranty is expressed or is to be implied regarding the accuracy of this data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material is furnished on the condition that the person receiving it shall make his/her own determination as to the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.