## Safety Data Sheet (SDS)

According to GHS (Global Harmonized System) - Hazcom 2012

Date Printed (YYYY-MM-DD): 2020-04-15

Section 1 - Product and Compan Product Name: Insta-Weld Activator Product Part Number(s): 2303-6F,	y	
Recommended Use: Instant adhesive.		
COMPANY IDENTIFICATION:	EMERGENCY TELEPHONE NUMBER:	
Polyvance 1128 Kirk Rd. Rainsville, AL 35986	24 Hour Emergency contact:	Chemtrec: 1-800-424-9300 Outside US: 703-527-3887
Information email: info@polyvance.com	Customer Information Number:	256-638-4103 (7AM - 4PM (CST) M-F)

Appearance: Clear Liquid Odor: Acetone

Hazard Statement:

Highly flammable liquid and vapor. May be harmful if swallowed. May be harmful in contact with skin. Causes eye irritation.

#### Signal Word:

Signal Word Hazard: Highly flammable liquid and vapor

GHS Physical Hazard Pictogram	GHS Health Haz	ard Pictogram(s)	GHS Environmental Hazard Pictogram
Flammable	Irritant	Health Hazard	Not Applicable

#### **GHS Hazards Statement Codes for This Product**

Statement Type	Statement Code	Statement Text	
Health	H303	May be harmful if swallowed	
Health	H313	May be harmful in contact with skin	
Health	H320	Causes eye irritation	
Physical	H225	Highly flammable liquid and vapor	
Precautionary		Keep out of reach of children. Read label before use. Do not get in eyes, on skin, or on clothing.	

### **GHS Precautionary Statement Codes for This Product**

Statement Type	Statement Code	Statement Text	
General	P102	Keep out of reach of children	
General	FIUZ		
General	P103	Read label before use	
Prevention	P262	Do not get in eyes, on skin, or on clothing	

#### **Potential Health Effects**

Eye Contact:	Irritation on contact
Skin Contact:	Prolonged exposure may cause skin irritation.
Skin Absorption:	Irritation (Est. Dermal LD50 > 2000Mg./Kg)
Inhalation:	May cause nausea, headache, dizziness and irritation of respiratory tract.
Ingestion:	If significant quantity ingested, may dull senses (Oral LD50 > 5000)

### Section 3 - Composition / Information on Ingredients

Component	CAS #	ENIECS	REACH Reg. No.	Amount
Heptane	142-82-5			>69%
Acetone	67-64-1			<30%
N,N-Dimethyl-p-toluidine	99-97-8			<1%

#### **Section 4 - First Aid Measures**

Eye Contact:	Immediately flush with plenty of water for 15 minutes. Get medical attention if irritation occurs.
Skin Contact:	Flush with plenty of soap and water for 15 minutes.
Inhalation:	Remove to fresh air immediately.
Ingestion:	Do no induce vomiting. Seek medical attention.
Medical Conditions Aggravated by Exposure:	Bronchitis, CNS disorders, allergies, nausea.

### **Section 5 - Firefighting Measures**

Extinguishing Media:	CO2, Foam, Dry chemical
Unusual Fire or Explosion Hazards:	Direct water jet will spread burning material. Water should not be used except as a fog to keep nearby containers cool. Combustion products are very toxic & highly irritating. Vapors form an explosive mixture in air.
Fire Fighting Procedures:	Firefighters should wear self contained breathing gear and protective clothing.

### **Section 6 - Accidental Release Measures**

Methods For Clean Up:Permit only properly protected workers with skin and eye protection and breathing gear. Absorb<br/>small spills with absorbent material, or let evaporate in well ventilated area. Pump large spills into<br/>salvage tanks.Methods for<br/>Containment:Landfill or incinerate in accordance with EPA and local regulations.

# Section 7 - Handling and Storage

General Handling Practices:	Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. Avoid spontaneous combustion of contaminated rags or other ignitable material. Keep out of reach of children.
Storage Requirements:	Keep containers closed when not in use. Keep away from open flames and excessive heat.

# Section 8 - Precautions to Control Exposure / Personal Protection

	Component	Source	Туре	Value	Remarks
Acetone		NIOSH	10H TWA	590 mg/m3	
Acetone		DFG MAK		1000 ppm	
Acetone		ACGIH	TLV	750 ppm	STEL
Acetone		ACGIH	TLV	500 ppm	TWA
Acetone		OSHA	PEL	1000 ppm	TWA
Heptane		ACGIH	TLV	500 ppm	STEL
Heptane		ACGIH	TLV	400 ppm	TWA
Heptane		OSHA	PEL	500 ppm	TWA

#### **Personal Protective Equipment (PPE):**

Eye / Face Protection:	Safety glasses with eye shields.
Skin Protection:	Resistant plastic or rubber.
RespiratoryProtection:	Above TLV. NIOSH/MESSA approved respirator.
Hygenic Measures:	Wash hands before eating, smoking, or using the wash washroom.
Other Protection Measures:	Protective plastic or rubber apron.
Engineering Controls:	Local exhaust recommended.
HMIS Personal Protection:	G



## **Section 9 - Physical and Chemical Properties**

Appearance:	Water thin, very low viscosity. Sharp chemical odor
Color:	Clear
Odor Threshold:	
pH:	Not determined
Melting Point:	Not available
Freezing Point:	Not available
	208
Boiling Range:	Not available
Flash Point:	30F
Evaporation Rate:	Not available
Flammability:	Highly flammable
Upper Flammability Limit:	7
Lower Flammability Limit:	1.1
Vapor Pressure:	Not available
Vapor Density:	Heavier than air
Specific Gravity:	0.684 @77F
Solubility in Water:	Not Soluble
Partition Coefficient:	Not available

Autoignition Temperature:	Not available
Decomposition Temperature:	Not available
Viscosity:	Not available
Volitile Organic Compounds	707 g/L
(VOC's):	

### Section 10 - Stability and Reactivity

Chemical Stability:	Stable
Conditions to Avoid:	Excessive heat, poor ventilation, open flames, sources of ignition.
Incompatible Materials:	Strong oxidizers, acids & bases. May react violently with aluminum on prolonged contact.
Hazardous Decomposition Products:	Carbon monoxide, carbon dioxide.
Hazardous Polymerization:	Will Not Occur

### Section 11 - Toxicological Information

Ingestion Toxicity:	Not determined
SkinAbsorption:	Not determined
Inhalation:	Not determined
Sensitization:	Not determined
Acute Dose:	Not determined
Repeated Dose:	Not determined
Carcinogenicity:	Not determined
Corrosivity:	Not determined
Neurological:	Not determined
<b>Reproductive:</b>	Not determined
Genetic:	Not determined
Developmental:	Not determined
Eye Irritation:	Not determined
Skin Irritation:	Not determined
Target Organs:	Not determined

# Section 12 - Ecological Information

EcoToxicity:	Not determined
PersistenceDegrdability: Not determine	
<b>Bioaccumulation:</b>	Not determined
Mobility / Partitioning:	Not determined

## Section 13 - Disposal Considerations

<b>Disposal Method:</b>	Landfill or incinerate in accordance with EPA and local regulations.
ContainerDisposal:	Disposal must be made according to official regulations.

# Section 14 - Transport Information

### DOT

Proper Shipping Name: Flammable Liquid, n.o.s. (acetone, heptane, toluidine)
Hazard Class: 3
Identification Number: UN1993
Packing Group: II

## IMDG (Maritime transport)

IATA (Air transport)

### **Section 15 - Regulatory Information**

Superfund Amendments and Reathorization Act of 1986 (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Immediate (Acute) Health Hazard:Not availableDelayed (Chronic) Health Hazard:Not availableFire Hazard:Not availableReactive Hazard:Not availableSudden Realease of Pressure:Not available

The following lists hazardous components and the regulatory lists for which they are required to be reported.

#### Component: Acetone CAS: 67-64-1 Amount: <30%


Component: Heptane CAS: 142-82-5 Amount: >69%

Component: N,N-Dimethyl-p-toluidine CAS: 99-97-8 Amount: <1%

N,N-Dimethyl-p-toluidine is listed with the Illinois toxic substances disclosure to employee act.

N,N-Dimethyl-p-toluidine is listed with Massachusetts Right to Know.

N,N-Dimethyl-p-toluidine is listed with Pennsylvania Right to Know.



### Section 16 - Other Information

Legend	
ACGIH	American Conference of Governmental Hygenists
CFR	Code of Federal Regulations
DFG	Deutsche Forschungsgemeinschaft
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
MAK	Maximum Allowable Concentration (German)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
OEL	Occupational Exposure Limit
RCRA	Resource Conservation and Recovery Act
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

#### DISCLAIMER

This Safety Data Sheet (SDS) is prepared in compliance with GHS Hazcom 2012. The information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty or merchantability, fitness for any use, or any other warranty is expressed or is to be implied regarding the accuracy of this data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein my be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material is furnished on the condition that the person receiving it shall make his/her own determination as the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.