## Safety Data Sheet (SDS)

According to GHS (Global Harmonized System) - Hazcom 2012

Date Printed (YYYY-MM-DD): 2020-04-16

## Section 1 - Product and Company Information

**Product Name:** Polypropylene Rod

**Product Part Number(s):** R02-06-03-BK, 5003R2, R2-1, 5003R13, R02-AA-BB-CC (Where AA is rod profile, BB is package size, **Recommended Use:** Use this item with a plastic welder to repair broken polypropylene parts.

#### COMPANY IDENTIFICATION:

#### EMERGENCY TELEPHONE NUMBER:

Polyvance 1128 Kirk Rd. Rainsville, AL 35986 24 Hour Emergency contact:

Chemtrec: 1-800-424-9300 Outside US: 703-527-3887

Not Applicable

**Information email:** info@polyvance.com

Not Applicable

Customer Information Number: 256-638-4103 (7AM - 4PM (CST) M-F)

## Section 2 - Hazards Identification

Appearance: Resinous rod Odor: None			
Hazard Statement:	Not applic	cable	
Signal Word: Not Signal Word Hazard: Not			
GHS Physical Hazard Pic	togram	GHS Health Hazard Pictogram(s)	GHS Environmental Hazard Pictogram

Not Applicable

### **GHS Hazards Statement Codes for This Product**

Statement	Statement	
Туре	Code	Statement Text

**Precautionary Statement:** 

Not applicable

## **GHS Precautionary Statement Codes for This Product**

Statement	Statement	
Туре	Code	Statement Text

### **Potential Health Effects**

Eye Contact:	The cool solid material is not expected to cause eye irritation. Thermal burns may result from contact with the hot material.
Skin Absorption:	If molten material comes in contact with skin, cool under ice water or a running stream of water. Do not attempt to remove the material from the skin. Removal could result in severe tissue damage. Get medical attention.

Inhalation: Prolonged or repeated inhalation of vapors or fumes from the heated material may be irritating to the upper respiratory tract.

Ingestion:

Comp	onent	CAS #	ENIECS	REACH Reg. No.	Amount
Propylene ethylene cop	olymer	9010-79-1			>95%
Stabilizers					<5%
Section 4 - First /	Aid Measure	25			
Medical Conditions Aggravated by Exposure:	None				
Section 5 - Firefi	ghting Meas	sures			
Extinguishing Media:	Water spray, d	ry chemical, foam, or carl	oon dioxide.		
Unusual Fire or Explosion Hazards:	N/A				
Fire Fighting Procedures:	Use self contai	ned breathing apparatus	and protective clo	thing for structural fire	e fighting

Methods For Clean Up:	If liquid material is spilled, allow it to cool and solidify. Place material in disposal containers and dispose of in a manner consistent with applicable regulations.
Methods for Containment:	Contact local environmental or health authorities for approved disposal if this material. If safe and practicable, reclaim material.

## Section 7 - Handling and Storage

N/A

General HandlingKeep out of reach of children. For professional use only. Not intended for sale to the generalPractices:public.

**Storage Requirements:** Store in a cool, dry, well-ventilated area.

# Section 8 - Precautions to Control Exposure / Personal Protection

## Personal Protective Equipment (PPE):

Eye / Face Protection:	Goggles or safety glasses.
Skin Protection:	Not normally required.
RespiratoryProtection:	Not normally required. If ventilation cannot be acquired, wear NIOSH approved respirator.
Hygenic Measures:	Wash hands before eating, smoking or using the washroom.
Other Protection Measures:	None
Engineering Controls:	No special ventilation is usually necessary. However, if operating conditions create high airborne concentrations of gasses or fumes, special ventilation may be needed.
HMIS Personal	A



# **Section 9 - Physical and Chemical Properties**

Appearance:	Black resinous rods, approximately 1/8 in in diameter.	
Odor Threshold:	Not determined	
pH:	Not determined	
Melting Point:	Not determined	
Freezing Point:	Not determined	
	N/A	
Boiling Range:	Not determined	
Flash Point:	Not determined	
Evaporation Rate:	Not determined	
Flammability:	Not determined	
Upper Flammability Limit:	Not determined	
Lower Flammability Limit:	Not determined	
Vapor Pressure:	Not determined	
Vapor Density:	N/A	
Specific Gravity:	0.88-0.92	
Solubility in Water:	Not Soluble	
Partition Coefficient:	Not determined	
Autoignition Temperature:	Not determined	
Decomposition Temperature:	Not determined	
Viscosity:	Not determined	

# Section 10 - Stability and Reactivity

Chemical Stability:	Stable
Conditions to Avoid:	All plastic materials may generate static electricity and should not be used around explosive mixtures.
Incompatible Materials:	Avoid contact with strong oxidizing agents.
•	Carbon monoxide, carbon dioxide, ketones, acrolein, aldehydes, unidentified organic compounds.
Hazardous Polymerization:	Will Not Occur

# Section 11 - Toxicological Information

# Section 12 - Ecological Information

# Section 13 - Disposal Considerations

Disposal Method:	Contact local environmental or health authorities for approved disposal if this material. If safe and practicable, reclaim material.
ContainerDisposal:	Disposal must be made according to official regulations.

# Section 14 - Transport Information

## DOT

Proper Shipping Name: Not Regulated

IMDG (Maritime transport)

## IATA (Air transport)

## Section 15 - Regulatory Information

Superfund Amendments and Reathorization Act of 1986 (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312


Immediate (Acute) Health Hazard:	Not available
Delayed (Chronic) Health Hazard:	Not available
Fire Hazard:	Not available
Reactive Hazard:	Not available
Sudden Realease of Pressure:	Not available

The following lists hazardous components and the regulatory lists for which they are required to be reported.

### HMIS Rating (0 - 4)

HEALTH	0	Health = 0
FIRE	1	Fire = 1
PHYSICAL	0	Physical = 0
PERSONAL PROTECTION	Α	Personal Protection = A

#### **NFPA Ratings**



### **Section 16 - Other Information**

Legend	
ACGIH	American Conference of Governmental Hygenists
CFR	Code of Federal Regulations
DFG	Deutsche Forschungsgemeinschaft
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
МАК	Maximum Allowable Concentration (German)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
OEL	Occupational Exposure Limit
RCRA	Resource Conservation and Recovery Act
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

### DISCLAIMER

This Safety Data Sheet (SDS) is prepared in compliance with GHS Hazcom 2012. The information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty or merchantability, fitness for any use, or any other warranty is expressed or is to be implied regarding the accuracy of this data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein my be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material is furnished on the condition that the person receiving it shall make his/her own determination as the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.